

# Access to surgical care in Africa: a true crisis

Dr. Jakub Gajewski, Royal College of Surgeons in Ireland






Health

### Five billion people 'have no access to safe surgery'

By Tulip Mazumdar Global health reporter



#### 'Twice as many die' in Africa after surgery



() 4 January 2018





5 BILLON
PEOPLE\* LACK ACCESS TO
SAFE AND AFFORDABLE
SURGICAL CARE



ACCOUNT FOR 30% OF THE GLOBAL DISEASE BURDEN




AFRICA IS MOST AFFECTED BY THE LACK OF ACCESS TO SAFE SURGERY



KILLS MORE THAN HIV, TB & MALARIA COMBINED - LANCET

\*Alkire et at. Lancet Global Health, 2015









143 million



additional surgical procedures are needed each year to save lives and prevent disability


33 million

individuals face
catastrophic health
expenditure due to
payment for surgery and
anesthesia each year

**Investment** in surgical and anesthesia services **is affordable**, saves lives, and promotes economic growth

Surgery is an indivisible, indispensable part of health care





**Figure 1.** Proportion of the population without access to safe, affordable surgery and anaesthesia by region



#### The Need in Africa

- 63% of population in SSA lives in rural areas, where district level hospitals are the main providers of healthcare services.
- There are just 1,690 surgeons for a combined population of 320 million, this equates to 0.5 per 100,000 people, 26 times less than in Ireland.
- District level surgery is provided by non-specialists: mainly non-physician clinicians and medical doctors with no formal training in surgery.
- They need training, supervision and professional development for multiple reasons, including quality of care.







**COST-Africa 2011-2016** (Clinical Officer Surgical Training – Africa) **AIM**:

To demonstrate the effectiveness, cost-effectiveness, safety and feasibility of a model of training & supervision of non-physician clinicians (CO/ML), so as to make safe surgery available at district level hospitals in Malawi and Zambia.

**SURG-Africa 2017-2020** (Scaling up Safe Surgery for District and Rural Populations in Africa)

AIM:


To make emergency and basic elective surgery available to rural populations through district level hospitals in **Tanzania**, Malawi and Zambia

though developing and evaluating country specific models whereby surgeon specialists are supervisors and mentors of **all surgically active district level clinicians** 












## The response: our work







## The response: our work



#### **COST-Africa (2011-2016)**

- Aim: to respond to surgical workforce crisis in Malawi and Zambia through development of sustainable training and supervision systems for nonphysician clinicians.
  - Training programmes for non-physician clinicians
  - Enabled surgical specialists to become mentors





# **COST-Africa findings**



Table 6. Wound infection rates after hernia operation by cadre

	Wound infection	
	No	Yes
CA-CO	511 (97·7)	12 (2·3)
MD	33 (92)	3 (8)

Values in parentheses are percentages. Data are based on 559 hernia operations across all intervention hospitals. CA-CO, COST-Africa clinical officer; MD, medical doctor. P = 0.065 (Fisher's exact test).

Gajewski at al. British Journal of Surgery, 2019



## The response: our work



#### **SURG-Africa (2017-2020)**

 <u>Aim</u>: to improve access to and quality of surgical, obstetric, anaesthesia and nursing care in Malawi, Zambia and Tanzania.



- Supervisory teams going to district hospitals to train, supervise and mentor
- Remote consultations enabled to provide real-time access to specialists for district level surgical providers









https://www.youtube.com/watch?v=ihht4Wu-W k

https://www.youtube.com/watch?v=1n2gzPs5AbM





# Thank you

jakubgajewski@rcsi.ie